Record List Display Page 1 of 4

Hit List

First Hit | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

7 1. Document ID: US 5664172 A

L4: Entry 1 of 2 File: USPT Sep 2, 1997

US-PAT-NO: 5664172

DOCUMENT-IDENTIFIER: US 5664172 A

TITLE: Range-based query optimizer

DATE-ISSUED: September 2, 1997

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Antoshenkov; Gennady Amherst NH

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

Oracle Corporation Redwood Shores CA 02

APPL-NO: 08/277550 [PALM] DATE FILED: July 19, 1994

INT-CL-ISSUED: [06] G06F 17/30

INT-CL-CURRENT:

TYPE IPC DATE
CIPP <u>G06 F 17/30</u> 20060101

US-CL-ISSUED: 395/604; 395/603 US-CL-CURRENT: 707/4; 707/3

FIELD-OF-CLASSIFICATION-SEARCH: 395/600, 395/161, 395/603, 395/604

See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

 PAT-NO
 ISSUE-DATE
 PATENTEE-NAME
 US-CL

 3964029
 June 1976
 Babb
 395/600

 4118788
 October 1978
 Roberts
 395/600

4255796	March 1981	Gabbe et al.	395/600
4606002	August 1986	Waisman et al.	395/600
4677550	June 1987	Ferguson	395/600
4774657	September 1988	Anderson et al.	364/200
4811199	March 1989	Kuechler et al.	395/600
4811217	March 1989	Tokizane et al.	395/800
4817036	March 1989	Millett et al.	395/600
4827462	May 1989	Flannagan et al.	369/32
4829427	May 1989	Green	364/300
4945475	July 1990	Bruffey et al.	395/600
4947320	August 1990	Crus et al.	364/200
4956774	September 1990	Shibamiya et al.	364/200
5043872	August 1991	Cheng et al.	364/200
5237678	August 1993	Kuechler et al.	395/600
5241648	August 1993	Cheng et al.	395/600
5257365	October 1993	Powers et al.	395/600
5398199	March 1995	Lefons	364/735

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
92/06440	April 1992	WO	

OTHER PUBLICATIONS

J. Cheng, et al, "An Efficient Hybrid Join Algorithm: A DB2 Prototype", Proceedings of 7th International Conference on Data Engineering (Apr. 1991). Donald E. Knuth The Art of Computer Programming, vol. 3/ Sorting and Searching, Addison Wesley Publishing Company, (USA, 1973),pp. 550-567. Ashany, Ron, "Application of Sparse Matrix Techniques to Search, Retrieval, Classification, and Relationship Analysis in Large Data Base Systems--SPARCOM", Fourth International Conference On Very Large Data Bases, West Berlin, Germany, Sep. 13-15, 1978, p. 499. Douglas Comer, "The Ubiquitous B-Tree", Computing Surveys, vol. 11, No. 2, Jun. 1979, pp. 121-137. "Rushmore's Bald Spot", DBMS, vol. 4, No. 10, Sep., 1991, p. 58. Jeff Wincell, "Foxpro 2.0's Rushmore: Here's How FoxPro 2.0's New Technology Speeds Queries", DBMS, vol. 4, No. 10, Sep. 1991, pp. 54-59. Jeff Winchell, "dBASE IV 2.0 Query Innovations: Borland's Latest dBASE Release: On the Forefront of Bitmap Index Optimization", DBMS, vol. 6, No. 10, Oct., 1993 pp. 68-71.

ART-UNIT: 237

PRIMARY-EXAMINER: Black; Thomas G.

ASSISTANT-EXAMINER: Lintz; Paul R.

ATTY-AGENT-FIRM: Lowe, Price, LeBlanc & Becker

ABSTRACT:

Record List Display Page 3 of 4

A computerized query optimizer for use with a database system having an ordered set of records. The optimizer employs a scanner and an evaluator. A query is composed as ranges of record values related by logical operators. The query is converted to a Boolean tree in canonical form. The tree is optimized to express the ranges as a set of disjoint semi-open ranges. The scanner reads a next record from the database. The evaluator, using the query, delivers a logical true or false condition for the record. In addition, the evaluator also delivers an interval of values having the same logical condition as the logical condition of the record. If this logical condition is false, the scanner skips over records having values of the interval, otherwise, if the logical condition is true, records having values of the interval are selected.

10 Claims, 19 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Adjactuments	Claims	KWIC	Drawt De

2. Document ID: US 5664172 A

L4: Entry 2 of 2

File: DWPI

Sep 2, 1997

DERWENT-ACC-NO: 1997-448262

DERWENT-WEEK: 200279

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Computerised query optimiser for database with ordered set of records - converts query to Boolean tree in canonical form before scanning records, and collapses overlapping ranges related by AND operator into single intersecting range and those related by OR to union of ranges

INVENTOR: ANTOSHENKOV, G

PRIORITY-DATA: 1994US-0277550 (July 19, 1994)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 US 5664172 A
 September 2, 1997
 034
 G06F017/30

INT-CL (IPC): G06F 17/30


ABSTRACTED-PUB-NO: US 5664172A

BASIC-ABSTRACT:

The optimiser employs a scanner and an evaluator. A query is composed as ranges of record values related by logical operators. The query is converted to a Boolean tree in canonical form. The tree is optimized to express the ranges as a set of disjoint semi-open ranges. The scanner reads a next record from the database.

The evaluator, using the query, delivers a logical true or false condition for the record. The evaluator also delivers an interval of values having the same logical condition as the logical condition of the record. If this logical condition is false, the scanner skips over records having values of the interval, otherwise, if the logical condition is true, records having values of the interval are selected.

ADVANTAGE - Determines near-largest interval for which selection criteria is always false and avoids scanning corresp parts of database.



Display Format: -

Change Format

Previous Page

Next Page

Go to Doc#